

HTTPS SSL/TLS Session for SPDY

This sequence diagram covers the establishment of a SSL/TLS connection for sending Google SPDY data. The protocol flow covers:


- (1) SSL/TLS initial cryptographic parameter negotiation.
- (2) Certificate exchange and encryption start with elliptic curve Diffie Hellman key exchange.
- (3) Master key generation and encrypted data transfer.
- (4) SSL/TLS session release.

Generated with EventStudio (<http://www.eventhelix.com/eventstudio/>) and VisualEther (<http://www.eventhelix.com/visualether/>)

Note: You can click on any message title in this flow to examine the message structure and fields.


TCP Connection Establishment

The client establishes a TCP connection with server port 443.



SSL/TLS Initial Cryptographic Parameter Negotiation

Select a Client Random Number



The client generates a random number that will be later used to compute the final symmetric key.

The client initiates the SSL/TLS session by sending a Client Hello. The message specifies the client capabilities like ciphering suites, compression support, supported elliptic curve formats. In this case, the client specifies that it supports 51 cipher suites and 25 elliptic curves (Click on the message title to see the full message contents.)


TCP ack.

Compare the client crypto parameters with server crypto parameters and finalize the crypto parameters for the session.

The server examines the crypto capabilities reported in the TLS Client Hello with the crypto capabilities at the server end. The server makes a final selection based on the crypto capabilities of the client and the server.

Allocate a Session Identifier


The server assigns a Session identifier to the message. This session id may be used to reactivate the session without going through the complete exchange described here.



The server generates a random number that will be later used to compute the final symmetric key.

The server makes a final selection based on the crypto capabilities of the client and the server. In this case, the server has selected:

- RSA for Certification
- Elliptic Curve based Diffie Hellman
- AES 128 Encryption for the data



A segment of the "TLS Certificate + Server Key Exchange + Server Done" message. The message is split into two IP segments.

Select the elliptic curve and the base point that will be used for the Diffie-Hellman key exchange. Click on the action box to learn more about elliptic curve cryptography.

A random number is generated to be used as the server's private key.

Derive the public key that will be sent to the client.

The server sends a compound message that contains the following:

X.509 Certificates

A cascade of three certificates to authenticate that the Google Server:


- (1) Google server certificate (issued and signed by Google Intermediate CA)
- (2) Google Intermediate CA certificate (issued and signed by GeoTrust CA)
- (3) GeoTrust CA certificate. (issued and signed by Equifax Root CA)

Server Key Exchange

The Google server is using Elliptic Curve cryptography so it sends a EC Diffie-Hellman public key and signature.

Server Done

Signals that the complete cryptographic information has been sent from the server.



Select the elliptic curve and the base point that will be used for the Diffie-Hellman key exchange. Click on the action box to learn more about elliptic curve cryptography.

A random number is generated to be used as the client's private key.

Derive the public key that will be sent to the server.

Client Key Exchange

The client sends EC Diffie-Hellman public key and signature.

Change Cipher Spec

Client signals that is initiating encryption from the next record.

Encrypted Finished Message

This message contains the MAC of the handshake messages. The MAC ensures that the handshake messages that were sent in the clear have not been modified by a third party.

The client proceeds only if the MAC integrity check passes.

The shared secret is derived as a result of the Diffie-Hellman key exchange.

Change Cipher Spec


Server signals that is initiating encryption from the next record.

Encrypted Finished Message

This message contains the MAC of the handshake messages. The MAC ensures that the handshake messages that were sent in the clear have not been modified by a third party.


The client proceeds only if the MAC integrity check passes.

The shared secret is derived as a result of the Diffie-Hellman key exchange.




The client generates the Master Key that depends on the Pre Master Key and the client and server random numbers. This protects the session from replay attacks.

The server also generates the Master Key.



The client sends a SPDY packet encrypted with the Master Key.


The server sends a SPDY packet encrypted with the Master Key.



The client sends an Alert (Close) to release the TLS connection.

The client also initiates the release of the TCP connection with a FIN.

The server also releases the TCP connection.



Generated with EventStudio (<http://www.eventhelix.com/eventstudio/>) and VisualEther (<http://www.eventhelix.com/visualether/>)

EXPLORE MORE

- SSL Sequence Diagram <http://www.eventhelix.com/realtimemantra/networking/SSL.pdf>
- Networking Protocol Flows <http://www.eventhelix.com/realtimemantra/networking/>
- LTE <http://www.eventhelix.com/lte/>